Receiving Report Batch No: 1 Date: Dart P/O: Supplier: N/A Yes Release Note Attached: No Packing Slip: Yes Waybill Attached: Shipment Complete: Yes Invoice: Yes Cr Receipt: Cash QC6 Inspection _ Work Order Discrepancies Quantity Quantity Quantity Quantity Part Comments Description Short Returned Ordered Received Number Initials of receiver (if shipment OK) Level 12 Production/Admin: Location Date Received/Costing Initial

£300

H:\FORMS\Purchasing\approved purch\RECREPORT Rev D

Purchase Order Receipt Listing

Thursday, July 05, 2012 11:50:49 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO17330 Receipt Dates from 7/5/2012 to 7/5/2012 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

					00040
Book Amt		\$871.39	\$167.21	\$1,048.50	964.0000 0.0000 0.0000 \$2,087.14
MDD Ott	MRB Reject Qty	0	0 0	0 0	nantity: O U/M): huantity: ot Value: huantity:
	Rejected Oty Rejected Oty (PO U/M)	0.0000	0.0000	0.0000	Total Received Quantity: Total Reject (PO U/M): Total Reject Quantity: Total Receipt Value: Total Balance Due Quantity:
	Cost Per Unit/ Recv Value	\$2.18	\$2.79	\$2.08	Total To
	Recv Qty (PO U/M)	400.0000	60.0000	504.0000	
	Recv Date/ Recv Emp	7/5/2012 DESJ02	7/5/2012 DESJ02	(-	DESJ02
	Required Date Required Qty	7/6/2012	7/6/2012	7/6/2012	504.0000
	PO U/M / Stock U/M	Marmon/Keystone Canada Ltd. 50W.049 f e.750 x f	7.065 f 00 x f	0.W.0 f	J.
	Project ID Reference/ Description/ Cert Std	R0.7;	.049W 122312 M304TR1.000W.065 f 304 RD Tube 1.00 x f .065W	122312 M6061T6T0.500W.0 f 58	6061-T6 RD Tube .500 x.058W 122312
	Line Nbr/ Insp Reg	VendorID\Vendor Name PO17330 1 CAD No	2 % No	т	Š
	Purchase Order ID/ Curr '1 ype	VendorID\\Pi\\Pi\\Pi\\Pi\\Pi\\Pi\\Pi\\Pi\\Pi\\P			

ستريح



290 Chemin du Tremblay Boucherville QU CAN J4B 5X9 TEL. 514/527-9153 FAX. 450/641-4357

PAGE..: 1

Order : 1119221 Date..: 07/03/2012

PACKING SLIP

SOLD TO:

No. of

Bdls/Pieces

DART AEROSPACE LTD

HAWKESBURY ON CAN K6A 1K7

1270 ABERDEEN STREET

SHIPPED TO:

DART AEROSPACE LTD 1270 ABERDEEN STREET

HAWKESBURY ON CAN K6A 1K7

	P VIA OVERLAND #	22212	F.O.B. BOUCHERVILLE	SALESPER G. Dulud		JR ORDER NO.
	Ordered	Description		Number Pieces	Quantity Shipped	Back Ordered
		_	inda Lacelle 613-632-1053	rev:01/11 GD		*
01	50 4 /FT	ALUMINUM SMLS TUBE ATS .500 .058 Tariff Number: 76 Cust. part#.: .	08.20.00.90 HT# F00013711	1 42	504/FT 504/FT	
02	400 /FT	STAINLESS STEEL SEA SMLS TUBE 304L 3/ STS .750 .049 Tariff Number: 73	4 X .049 A213 304L			4
		Cust. part#.: .	HT# YT14029	20 20	400/FT 400/FT	
03	60 /FT	STAINLESS STEEL SEA SMLS TUBE 304L 1 STS 1.000 .065 Tariff Number: 73 Cust. part#.: .	X .065 A213 304L 04. HT# YT1770	3 3	60/FT 60/FT	
	· •				÷	
	-		(i/y	7)/0		

	ļ	
Customers.:		
•		





CERTIFIED TEST REPORT

http://Online.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 5205 KAISER DRIVE KALAMAZOO. MI 49048

CUSTOMER PO NUMBER:	Jo	USTOME	R PART NUMBER:	PRODUCT DESCRIPTION	4 ;	
61-17107-3		AT/.5.0	58/734	Seamless Tube/Pi	ре	
KAISER ORDER NUMBER:	LINE ITEM:		SHIP DATE:	KAISER LOT NUMBER:	ALLOY:	TEMPER:
606551	003	-	01/04/2012	F00013711	6061	T6
WEIGHT SHIPPED:	QUANTITY:		B/L NUMBER:	DIAM/DAF/THKNS:	WIDTH:	LENGTH:
668.000 LB	586.000 PC	cs	602261			12.000 FT
SHIP TO: MARMON/KEYSTO 32944 US HIGHWA SPRING VALLEY, I	Y 6	ŝΑ		MARMON/KEYST 10700 MARMON I BOLINGBROOK,	DR	

Actual Physical Properties

	REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CONDUCT.	BEND
Ж	F00013711	0001	1	45.9	42.4	13.0	N/A	N/A	N/A
<i>¥</i> .	F00013711	0002	1	45.3	41.8	13.5	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	₽b	Bi	Zr	Ea	Tot
Maximum Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA NA	NA	0.00	0.15 0.00
D69881	.58	.26	.22	.06	,.98	.07	.09	.02	.00	.00	.00	.01	.02

Applicable Requirements:

Description: MADE IN USA OD: 0.500"; Wall: 0.058"; Round @ AMS-4082P ASTM-B210-04 WW-T-700/6F
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED. THE FOLLOWING SPECIFICATIONS HAVE BEEN MADE INACTIVE OR CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F, WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, and WW-T-700/7B. COMPLIES TO DIN EN 10204 JAN 2005 COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014 No Weld Repair. Mercury Free.

12/0405

Miscellaneous Notes

MANUFACTURED IN USA (CHANDLER, AZ) MELTED IN USA

Plant Serial: 00022759 Kaiser Order Number: 606551

Line Item: 003

Page 1 of 2

ATS 500 .058 BUDGI TU



CERTIFIED TEST REPORT

http://Online.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 5205 KAISER DRIVE KALAMAZOO, MI 49048

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Alex Yeh, Quality & Technology Manager

Q. C. REVIEWED

Plant Serial: 00022759 Kaiser Order Number: 606551

Line Item: 003

Page 2 of 2





SHANGHAICRYSTAL PALACE PIPE CO.,LTD

LAO GANG, PUDONG NEW AREA DISTRICT, SHANGHAI, CHINA

MILL TEST CERTIFICATE

ISO9001:2008; PED Material CERTIFICATE (No.:QAC0021058/A)

DATE OF ISSUE: 2012/5/8

	DEPARTMEN'	MANAGER OF QUALITY ASSURANCE DEPARTMENT	OF QUALITY	NAGER	₹ X			3.1	MILL TEST CERTIFICATE TO EN 10204/3.1 INVOICE NO: YK-12-05-25	RTIFICATE T 'K-12-05-25	MILL TEST CERTIFICATE INVOICE NO: YK-12-05-25	NV MIL
12	SR 0/12/12		52°		ナ			0N	FREE FROM MERCURY CONTAMINATION COUNTRY OF ORIGIN: CHINA	FREE FROM MERCURY CONT	E FROM M	FRE
Wied	OC Reviewed).,LTD	ACE PIPE CO.,LTD.	SHANGHAI CRYSTAL PALACE	IAI CRYS	SHANGF	jii.	X 1.5m/n	SOLUTION HEAT TREATMENT :1050°C X 1.5m/min NO WELD REPAIR WAS PERFORMED	SOLUTION HEAT TREATMENT :1050° NO WELD REPAIR WAS PERFORMED	JUTION HEJ	NO NOI
		MPANY.	THE WRITTEN APPROVAL OF THE COMPANY.	PROVAL	TTEN AF	THE WR		,	ACTICE E	IC TEST TO ASTM A262 PRACTICE E	EST TO AS	ICT
JLL, WITHOUT	EXCEPT IN FU	2.THE CERTIFICATE SHALL NOT BE REPRODUCED, EXCEPT IN FULL, WITHOUT	PORCHASE ORDER OR CONTRACT 2.THE CERTIFICATE SHALL NOT BE I	TE SHA	ERTIFICA	2.THE C	1/09-10	GASTM <i>t</i>	WALL IHICKNESS IOLEKANCE AS FEK AS IM A209-10 TM COMPLIANCE TO NACE MR0175-2003	YF TO NACE	OMPLIANCE	Z WA
TERMS OF THE	E WITH THE	TESTED AND THE TEST RESULTS ARE IN COMPLIANCE WITH THE TERMS OF THE	ESULTS ARE	EXITY ETEST R	AND THI	TESTED	260 10	- A COTTAGE A	REMARKS: AS PER ASTM A213-10a/ASME SA213-10	\213-10a/ASI	REMARKS: AS PER ASTM	AS I
TAT TIAS DEEN	י י י								The second section of the second sections of the second sec			
(DRILLED HOLE)	75	OK	OK	62.5	685	270	841	250	P12-3-337	20	0.049	ò.750
TEST TO E426 (100%)	80	TEST		≥35	(Mpa) ≥515	(Mpa) ≥205	(kg)	Pieces	Bundle No.	Length (feet)) W.T h) (inch)	O.D (inch)
CURRENT	HARDNESS	FLATTENING 1	FLARING	EL	TS		Weight	į	; ;	sac	Dimensions	
	:		-	ERTIES	L PROF	PHYSICAL PROPERTIES				ŧ		
		6 18.32	2 8.06	0.42	0.005	0.037	_	0.77	0.022	LE)	RESULTS (LADLE	RES
		3.0 18.0~20.0	00 8.0~13.0	€ 1.00	< 0.030	< 0.045		€2.00	€ 0.035	-	SPECIFICATION	SPE
		Cr	Z	Si	S	P		Mn	С		ELEMENTS	ELE
					-				Γ%)	CHEMICAL CONTENTS (WT%)	MICAL CO	出
		HEAT NO.: YT14029	<u></u>	400 GRIT.	POLISHED	AIN END/ OD	KLED / PL	ATED / PIC	CONDITION: COLD FINISH / SOLUTION TREATED / PICKLED / PLAIN END/ OD POLISHED 400 GRIT)LD FINISH / So	DITION: CO	CO
	TP304/TP304L	GRADE: ASTM A213-10a TP304/TP304L	GRADE:			IG.	TUBING	SEAMLESS	STEEL SE	TAINLESS	COMMODITY: STAINLESS	CON
	⊩B	NO.:2012-01-014-B	ORDER							0	P.O.NO.: MN2760	P.O.1
	-14-B-7	ERTIFICATE NO. :2012-1-14-B-7	CERTIFIC				NC.	CANADA		CUSTOMER: MARMON/KEYSTONE	TOMER: M	CUS
A CONTRACTOR OF THE PARTY OF TH			NAME OF TAXABLE PARTY.									

SHANGHAICRYSTAL PALACE PIPE CO.,LTD

MILL TEST CERTIFICATE

ISO9001:2000; PED Material CERTIFICATE (No.:QAC0021058/A)

DATE OF ISSUE: 2010/9/14

CUSTOMER:MARMON/KEYSTONE	1	CANADA	INC.				CERTIFI	CERTIFICATE NO. :2010-5-13-A-8	10-5-13-A-8	
P.O.NO.: MN6855	all and the second seco						ORDER	ORDER NO.:2010-05-013-A	5-013-A	
COMMODITY: STAINLESS	STEEL	SEAMLESS	TUBING				GRADE	:ASTM A213/	GRADE :ASTM A213/ASME SA213-07 TP304/TP304L	P304/TP304L
CONDITION: COLD FINISH / SOLUTION TREATED / PICKLED / PLAIN END / OD POL SHED 320 GRIT.	ISH / SOLUTION TRI	ATED / PIC	KLED / PLA	IN END / OD	POLISHED	320 GRIT.		HEAT NO.:YT1770		
CHEMICAL CONTENTS (WT%)	S (WT%)	*								
ELEMENTS	O _	Mn		Ь	S	Si		ï	Cr	
SPECIFICATION	< 0.035	< 2.00		< 0.040	< 0.030	< 0.75		8.0~12.0	8.0~20.0	P.
RESULTS (LADILE)	0.023	0.85		0.039	0.003	0.43		8.08	18.15	
The second secon				PHYSICAL PROPERTIES	L PROPE	RTIES				
Dimensions			Weigh	0.2%YS	TS		EI A B ING	PI ATTENING	HA	EDDY
O.D W.T Length (inch) (inch) (feet)	Bundle No.	Pieces	(kg)	(Mpa) ≥205	(Mpa) ≥515	(%) \ \ 35	TEST	TEST	HRB ≪80	TEST TO E426 (100%)
1.000 0.065 20	210-8-45	200	2977	310	089	0.09	OK	OK	74	OK (DRILLED HOLE)
PEMARKS.	t			I.WE HE	REBY CI	RTIFY	HAT THE	MATERIAL	I WE HEREBY CERTIFY THAT THE MATERIAL DESCRIBED HEREIN HAS BEEN	EIN HAS BEEN
AS PERASIM AZIS/ASME SAZIS-0/ LWALL THICKNESS TOLERANCE AS PER ASTM A	SME SAZ13-07 DLERANCE AS PI	R ASTM	20-692	TESTED THE PUR	AND TH	E TEST ORDER O	TESTED AND THE TEST RESULTS ARE THE PURCHASE ORDER OR CONTRACT	NKE IN COM	LESTED AND THE LEST RESOLIS ARE IN COMPLIANCE WITH THE TERMS OF THE PURCHASE ORDER OR CONTRACT	HE LEKIMS OF
IN COMPLIANCE TO NACE MR0175-2003	NACE MR0175-20	500		2.THE C	ERTIFICA	TE SEIAI	L NOT BE	REPRODUC	2.THE CERTIFICATE SHALL NOT BE REPRODUCED, EXCEPT IN FULL, WITHOUT	ULL, WITHOUT
IC TEST TO ASTM A262 PRACTICE E	62 PRACTICE E			THE WR	ITTEN AP	PROVAL	THE WRITTEN APPROVAL OF THE COMPANY	OMPANY.		
SOLUTION HEAT TREATMENT: 1050°C X 1.5m/min NO WELD REPAIR WAS PERFORMED	EATMENT :1050°C AS PERFORMED	: X 1.5m/n	ir	SHANG	AM CRYS	TAL PAL	SHANGHAI ÇRYSTAL PALACE PIPE COLTD	COLTD	Q.C. Reviewed	ewed
FREE FROM MERCURY CONTAMINATION	RY CONTAMINATION	NOL			1			b parameters	44 11/05/10	2/10
MILL TEST CERTIFICATE TO EN 10204/3.1	ATE TO EN 1020 ²	1/3.1			Źξ	NAGER (î. Y ASSURA	MANAGER OF QUALITY ASSURANCE DEPARTMENT	L
INVOICE NO: YN-10-09-20	02-20						,			



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO17330

Purchase Order Date 6/29/12 PO Print Date 6/29/12

Page Number 1 of 2

Order From:

VC-MAR001

MARMON/KEYSTONE CANADA LTD. 290 CHEMIN DU TREMBLAY BOUCHERVILLE, QC J4B 5X9

CA

Contact Name

Vendor Phone

800 361 8142

Vendor Fax

450 641 4357

Vendor Account Nbr

Buyer

Chantal Lavoie

10127-2607

Requisition Nbr

Tax Resale Nbr Terms

Net 30 CAD

Currency FOB

Destination-Collect

Ship To:

Change Nbr:

1

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA



Certification required (YES

NO

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
M3	04TR0.750W.049	304 RD Tube .750 x .049W	7/06/12 Yes	400.00 f	TST ground	\$2.2200	\$888.00
		Special Inst:	STAINLESS				
2 M3	04TR1.000W.065	304 RD Tube 1.00 x .065W	7/06/12 Yes	60.00 f	TST ground	\$2.8400	\$170.40
		Special Inst:	STAINLESS				
M6	061T6T0.500W.058	6061-T6 RD Tube .500 x.058W	7/06/12	√ 504.00	TST ground	\$2.1200	\$1,068.48
	614		Yes	Chelals	MATERIA REQ'D	AL CERTIFICATION UPON DELIVERY	
			(1 /2	consent.	titution or deviation wi	

Change Date: 6/29/12



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO17330

Purchase Order Date 6/29/12 PO Print Date 6/29/12

Page Number 2 of 2

Order From:

VC-MAR001

MARMON/KEYSTONE CANADA LTD. 290 CHEMIN DU TREMBLAY BOUCHERVILLE, QC J4B 5X9

CA

Contact Name

Vendor Phone

800 361 8142

Vendor Fax

450 641 4357

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607 Net 30

Terms Currency

CAD

FOB

Destination-Collect

Special Inst:

MATERIAL: 6061-T6 OR 6061-T62

TUBING PER

WW-T-700/6 OR AMS 4080 OR AMS 4082

OR

QQ-A-200/8 OR QQ-A-225/8

PO Total:

\$2,126.88

MATERIAL CERTIFICATION REQ'D UPON DELIVERY

CX

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required (YES) NO

Change Nbr: 1

Change Date: 6/29/1